ELSEVIER Linear Algebra and its Applications 280 (1998) 341–356

LINEAR ALGEBRA AND ITS APPLICATIONS

Author index to volumes 261–280

Abdel-Ghaffar, K.A.S., Long division for Laurent series matrices and the optimal assignment problem 280 (1998) 189

Adukov, V.M., Generalized inversion of block Toeplitz matrices 274 (1998) 85–124

Agler, J., J.W. Helton and M. Stankus, Classification of hereditary matrices 274 (1998) 125–160

Ahmad, F., *see* Jonckheere, E.A. 279 (1998) 227

Ahues, M. and B. Limaye, On error bounds for Eigenvalues of matrix pencil 268 (1998) 71–89

Alić, M., B. Mond, J. Pečarić, and V. Volenec, The arithmetic-geometric-harmonic-mean and related Matrix Inequalities 264 (1997) 55–62

Alpargu, G., *see* Watson, G.S. 264 (1997) 13–53

Alpay, D., V. Bolotnikov and P. Loubaton, On a new positive extension problem for block Toeplitz matrices 268 (1998) 247–287

Ambikkumar, S. and S.W. Drury, Some remarks on a conjecture of boyle and handelman 264 (1997) 63–99

Anderson, T.W. and M.A. Stephens, The continuous and discrete Brownian bridges: representations and applications 264 (1997) 145–171

Anderson, E.J., Goberna, M.A. and M. López, Locally polyhedral linear inequality systems 270 (1998) 231–253

Antoulas, A.C., Approximation of linear operators in the 2-norm 278 (1998) 309

Appleby, G.D., Similarity classes for Nilpotent operators over Dedekind domains 274 (1998) 37–59

Ara, P., K.R. Goodeari, K.C. O'Meara and E. Pardo, Diagonalization of matrices over regular rings 265 (1997) 147–163

Arens, R. and M. Goldberg, Multilinear operators and weighted l_1 norms 267 (1997) 1–10

Ashikhmin, A. and J. Simonis, On the delsarte inequalities 269 (1998) 197–217

Avdelas, G. and A. Hadjidimos, Optimal 2-cyclic MSOR for "Bowtie" spectra and the "Continuous" manteuffel algorithm 265 (1997) 29–54

Bauer, F.L., Olga Taussky-Todd 30.8.1906–7.10.1995 280 (1998) 9

Bai, Z.-Z, Parallel hybrid algebraic multilevel iterative methods 267 (1997) 281–315

Bai, Z.-Z., A class of iteration methods based on the Moser formula for nonlinear equations in Markov Chains 266 (1997) 219–241

Ballalij, M. and H. Sadok, New interpretation of related Huang's methods 269 (1998) 183–195

Bapat, R.B., Structure of a nonnegative regular matrix and its generalized inverses 268 (1998) 31–39

Bapat, R.B., S.K. Jain and L.E. Snyder, Nonnegative idempotent matrices and the minus partial order 261 (1997) 143–154

Bapat, R.B., A max version of the Perron–Frobenius theorem 275–276 (1998) 3

Barioli, F., Completely positive matrices with a book-graph 277 (1998) 11

Barnabei, M. and L.B. Montefusco, Recursive properties of Toeplitz and Hurwitz matrices 274 (1998) 367–388

Barobia, A. and R. Cantó, Matrix scaling: A geometric proof of Sinkhorn's Theorem 268 (1998) 1–8

Barry, W.P., *see* Gilbert, J.R. 262 (1997) 83–97

Bart, H., L. Kroon and R. Zuidwijk, Quasi-complete factorization and the two machine flow shop problem 278 (1998) 195

Basilio, J.C. and B. Kouvaritakis, An algorithm for coprime matrix fraction description using Sylvester matrices 266 (1997) 107–125

0024-3795/98/$19.00 © 1998 Elsevier Science Inc. All rights reserved
PII: S0024-3795 (98) 10141-6

Beasley, L.B. and S. Kirkland, On the exponent of a primitive matrix containing a primitive submatrix 261 (1997) 195–205

Bebiano, N. and J. Da Providência, On the dual of a result of Miranda and Thompson 262 (1997) 119–129

Bekker, P.A. and J.M.F. Ten Berge, Generic global identification in factor analysis 264 (1997) 255–263

Benner, P. and F. Heike, An implicitly restarted sympectic Lanczos method for the Hamiltonian Eigenvalue Problem 263 (1997) 75–111

Benner, P. and H. Faßbender, The symplectic eigenvalue problem, the butterfly form, the SR algorithm, and the Lanczos method 275–276 (1998) 19

Benner, P., H. Fassbender and D.S. Watkins, Two connections between the *SR* and *HR* Eigenvalue algorithms 272 (1998) 17–32

Ben-Or, M., *see* Feig, E. 266 (1997) 81–106

Berg, L. and G. Plonka, Compactly supported solutions of two-scale difference equations 275–276 (1998) 49

Bernhardsson, B., A. Rantzer and L. Qui, Real perturbation values and real quadratic forms in a complex vector space 270 (1998) 131–154

Bevis, J.H., K.B. Kevin, G.J. Davis, S.D. Gayla and A.M. Valerie, The rank of a graph after vertex addition 265 (1997) 55–69

Bhimasankaram, P. and R. SahaRay, On a partitioned linear model and some associated reduced models 264 (1997) 329–339

Bilir, B. and C. Chicone, A generalization of the inertia theorem for quadratic matrix polynomials 280 (1998) 229

Bini, D.A. and B. Meini, Inverting block toeplitz matrices in block Hessenberg form by means of displacement operators: application to queueing problems 272 (1998) 1–16

Blount, K.K., *see* Bevis, J.H. 265 (1997) 55–69

7Boasso, E., Joint spectra and nilpotent Lie algebras of linear transformations 263 (1997) 49–62

Bojanczyk, A., *see* Heinig, G. 278 (1998) 11

Boley, D.L., The algebraic structure of pencils and block Toeplitz matrices 279 (1998) 255

Bolla, M., G. Michaletzky, G. Tusnády, and M. Ziermann, Extrema of sums of heterogeneous quadratic forms 269 (1998) 331–365

Bolotnikov, V., *see* Alpay, D. 268 (1998) 247–287

Bolshakov, Y., C.V.M. van der Mee, A.C.M. Ran, B. Reichstein and L. Rodman, Polar decompositions in finite dimensional indefinite scalar product spaces: general theory 261 (1997) 91–141

Boon Soh, C., *see* Dong, X.-D. 277 (1998) 57

Borobia, A. and J. Moro, On nonnegative matrices similar to positive matrices 266 (1997) 365–379

Borobia, A. and J. Moro, On the boundary of the set of real spectra of nonnegative matrices 278 (1998) 287

Borobia, A., *see* Kästner, J. 278 (1998) 133

Botha, J.D., Products of diagonalizable matrices 273 (1998) 65–82

Bouchet, A., Multimatroids IV. Chain-group representations 277 (1998) 271

Böttcher, A. and S.M. Grudsky, On the condition numbers of large semi-definite Toeplitz matrices 279 (1998) 285

Brualdi, R.A. and H. Schneider, Preface 280 (1998) 1

Bultheel, A., *see* Van, B.M. 266 (1997) 291–335

Burrage, K., Z. Jackiewicz and B. Welfert, Block-Toeplitz preconditioning for static and dynamic linear systems 279 (1998) 51

Bussemaker, F., I. Kaplansky, B. McKay and J. Seidel, Determinants of matrices of the conference type 261 (1997) 275–292

Cain, B., L.M. DeAlba, L. Hogben and C.R. Johnson, Multiplicative perturbations of stable and convergent operators 268 (1998) 151–69

Cantó, R., *see* Borobia, A. 268 (1998) 1–8

Cao, C. and Z. Xian, Multiplicative semigroup automorphisms of upper triangular matrices over rings 278 (1998) 85

Cao, D., Bounds on Eigenvalues and chromatic numbers 270 (1998) 1–13

Cao, Z.-H., Avoiding breakdown in variants of the BI-CGSTAB algorithm 263 (1997) 113–132

Carriegos, M., J.A. Hermida-Alonso and T. Sánchez-Giralda, The pointwise feedback relation for linear dynamical systems 279 (1998) 119

Carvalho, M.L., A joint estimator for the Eigenvalues of the reproduction mean

matrix of a multitype Galton-Watson process 264 (1997) 189–203
Chaganty, N.R. and A.K. Vaish, An invariance property of common statistical tests 264 (1997) 421–437
Chalmers, B. and B. Shekhtman, Actions that characterize $l^{(n)}_{\infty}$ 270 (1998) 155–169
Chan, O. and T.K. Lam, Hook immanantal inequalities for laplacians of trees 261 (1997) 23–47
Chan, O. and T.K. Lam, Hook immanantal inequalities for trees explained 273 (1998) 119–131
Charles, J., *see* Seddik, A. 274 (1998) 77–83
Chen, G. and Y. Hu, The truncated Hamburger matrix moment problems in the nondegenerate and degenerate cases, and matrix continued fractions 277 (1998) 199
Chen, G.-N., The general rational interpolation problem and its connection with the Nevanlinna-Pick interpolation and power moment problem 273 (1998) 83–117
Chen, X. and R.E. Hartwig, On the convergence of power scaled Cesáro sums 267 (1997) 335–358
Chen, Z. and W. Li, A note on nonnegative normal matrices 279 (1998) 281
Cheng, B. and B. Liu, Matrices of zeros and ones with the maximum jump number 277 (1998) 83
Cheng, H., *see* Wong, C.S. 261 (1997) 187–194
Cheng, H.-W. and S.-T. Yau, More explicit formulas for the matrix exponential 262 (1997) 131–63
Cheng, S.H., *see* Higham, N.J. 275–276 (1998) 261
Cheon, G.-S. and S.-Z. Song, On the extreme points of the majorization polytope $\Omega_3(y \prec x)$ 269 (1998) 47–52
Chicone, C., *see* Bilir, B. 280 (1998) 229
Chien, M.-T., L. Yeh, Y.-T. Yeh, and F.-Z. Lin, On geometric properties of the numerical range 274 (1998) 389–410
Chikuse, Y., Density estimation on the spaces of symmetric and rectangular matrices 264 (1997) 265–290
Ching, W.K., Circulant preconditioners for failure prone manufacturing systems 266 (1997) 161–180
Chkliar, V., Numerical radii of simple powers 265 (1997) 119–121
Chooi, W.L. and M.H. Lim, Linear preservers on triangular matrices 269 (1998) 241–255
Chu, D., *see* Hung, Y.S. 271 (1998) 117–138
Chu, D.L., *see* Hung Y.S. 270 (1998) 287–313
Chu, M.T., On the optimal consistent approximation to pairwise comparison matrices 272 (1998) 155–168
Climent, J.-J. and C. Perea, Some comparison theorems for weak nonnegative splittings of bounded operators 275–276 (1998) 77
Codenotti, B., V. Crespi and G. Resta, On the permanent of certain (0, 1) Toeplitz matrices 267 (1997) 65–100
Coleman, T., C.-K. Li, M. Lund quist and T. Travison, Isometries for the induced *c*-Norm on square matrices and some related results 271 (1998) 235–256
Cooperman, G., Practical task-oriented parallelism for Gaussian elimination in distributed memory 275–276 (1998) 107
Cooperstein, B.N., External flats to varieties in $PG(M_{n,n}GF(q))$ 267 (1997) 175–186
Coppersmith, D., A.J. Hoffman and U.G. Rothblum, Inequalities of Rayleigh quotients and bounds on the spectral radius of nonnegative symmetric matrices 263 (1997) 201–220
Crespi, V., *see* Codenotti, B. 267 (1997) 65–100
Cross, R.W., An index theorem for the product of linear relations 277 (1998) 127
Cuadras, C.M., *see* Fortiana, J. 264 (1997) 173–188

Da Fonseca, C.M., The inertia of certain Hermitian block matrices 274 (1998) 193–210
Da Providência, J., *see* Bebiano, N. 262 (1997) 119–129
Da Silva, D.A.D., F. Rosário and A. Fonseca, The covering number of the elements of a matroid and generalized matrix functions 271 (1998) 191–219
Dahl, G., Majorization, polyhedra, and statistical testing problems 272 (1998) 205–225
D'Alessandro, D., Invariant manifolds and projective combinations of solutions of the Riccati differential equation 279 (1998) 181
Daniel, P., *see* Hwang, T. -M. 261 (1997) 173–186
Datta, K., Y. Hong and R. Lee, Applications of linear transformations to matrix equations 267 (1997) 221–240

Dauxois, J. and G.M. Nkiet, Canonical analysis of two Euclidean subspaces and its applications 264 (1997) 355–388
Davis, G.J., *see* Bevis, J.H. 265 (1997) 55–69
Day, J., W. So and R.C. Thompson, The spectrum of a Hermitian matrix sum 280 (1998) 289
Dazord, J., Comparison of two norms of matrices 280 (1998) 173
De Moor, B., *see* De Schutter, B. 261 (1997) 237–250
De Pierro, A.R. and M. Wei, Reverse order law for reflexive generalized inverses of products of matrices 277 (1998) 299
De Pierro, A.R., *see* Wei, M. 279 (1998) 135
De Schutter, B. and B. De Moor, A note on the characteristic equation in the max-plus algebra 261 (1997) 237–250
DeAlba, L.M., *see* Cain, B. 268 (1998) 151–69
Dedieu, J.-P., Condition operators, condition numbers, and condition number theorem for the generalized Eigenvalue problem 263 (1997) 1–24
Dekimpe, K., P. Igodt and O. Veerle, The five-dimensional complete left-symmetric algebra structures compatible with an abelian lie algebra structure 263 (1997) 349–375
Di Benedetto, F., Generalized updating problems and computation of the Eigenvalues of rational Toeplitz matrices 267 (1997) 187–219
Di Fiore, C. and P. Zellini, Matrix displacement decompositions and applications to Toeplitz linear systems 268 (1998) 197–225
Didenko, V.D. and B. Silbermann, Extension of C^*-algebras and Moore–Penrose stability of sequences of additive operators 275–276 (1998) 121
Ding, J. and L.J. Huang, On the continuity of generalized inverses of linear operators in Hilbert spaces 262 (1997) 229–242
Ding, J. and W. Hang, New perturbation results for equality-constrained least squares problems 272 (1998) 181–192
Domke, G.S., *see* Bevis, J.H. 265 (1997) 55–69
Dong, X.-D., C. Boon Soh and E. Gunawan, Matrix characterization of MDS linear codes over modules 277 (1998) 57
Dorier, J.-L., The role of formalism in the teaching of the theory of vector spaces 275–276 (1998) 141
Dress, A., *see* Kästner, J. 278 (1998) 133
Drillon, I.S., *see* Parlett, B.N. 267 (1997) 247–279
Drury, S.W., *see* Ambikkumar, S. 264 (1997) 63–99
Drury, S.W. Trace class multipliers and spectral variation of normal matrices 280 (1998) 217

Edelman, A., *see* Ma, Y. 273 (1998) 45–63
El-sayed, S.M., *see* Ivanov, I.G. 279 (1998) 303
Elsner, L. and D. Hershkowitz, Hadamard functions preserving nonnegative H-matrices 279 (1998) 13
Elsner, L., R. Nabben and M. Neumann, Orthogonal bases that lead to symmetric nonnegative matrices 271 (1998) 321–341
Emamy-K, M.R., *see* Kalantari, B. 262 (1997) 283–306

Faßbender, H., *see* Benner, P. 275–276 (1998) 19
Falikman, D., Inequalities for permanents of Hermitian matrices 263 (1997) 63–74
Fallat, S.M., C.R. Johnson, R.L. Smith and P. van den Driessche, Eigenvalue location for nonnegative and Z-matrices 277 (1998) 187
Farebrother, R.W., A.C. Aitken and the consolidation of matrix theory 264 (1977) 3–12
Farid, F.O., Topics on a generalization of Gershgorin's Theorem 268 (1998) 91–116
Fassbender, H., *see* Benner, P. 272 (1998) 17–32
Feig, E. and M. Ben-Or, On algebras related to the discrete cosine transform 266 (1997) 81–106
Fernández, J.C.G., Structure of Bernstein populations of Type (3, n–3) 269 (1998) 17–32
Ferrante, A. and B.C. Levy, Canonical form of symplectic matrix pencils 274 (1998) 259–300
Ferrer, J., F. Puerta and X. Puerta, Differentiable structure of the set of controllable $(A,B)^{\mathrm{t}}$-invariant subspaces 275–276 (1998) 161
Fiedler, M. and T.L. Markham, Consecutive-column and-row properties of matrices and the Loewner-Neville factorization 266 (1997) 243–259
Fiedler, M., Some characterizations of symmetric inverse M-matrices 275–276 (1998) 179
Fischer, K., W. Morris and J. Shapiro, Mixed dominating matrices 270 (1998) 191–214

Fleischmann, P., I. Janiszczak and R. Knörr, The number of regular semisimple classes of special linear and unitary groups 274 (1998) 17–26

Fleming, R., G. Grossman, T. Lenker, S. Narayan and S.-C. Ong, On Schur D-stable matrices 279 (1998) 39

Fonseca, A., *see* Da Silva, D.A.D. 271 (1998) 191–219

Fornasini, E. and M.E. Valcher, Directed graphs, 2D state models, and characteristic polynomials of irreducible matrix pairs 263 (1997) 275–310

Förster, K.-H. and B. Nagy, Local spectral radii and Collatz-Wielandt Numbers of Monic operator polynomials with nonnegative coefficients 268 (1998) 41–57

Förster, K.-H. and B. Nagy, Spectral properties of rational matrix functions with nonnegative realizations 275–276 (1998) 189

Fortiana, J. and C.M. Cuadras, A family of matrices, the discretized Brownian bridge, and distance-based regression 264 (1997) 173–188

Friedland, S., Computing the Hausdorff dimension of subshifts using matrices 273 (1998) 133–167

Friedman, J., Error bounds on the power method for determining the largest eigenvalue of a symmetric, positive definite matrix 280 (1998) 199

Fripertinger, H., Cycle indices of linear, affine and projective groups 263 (1997) 133–156

Fritzsche, B., B. Kirstein and V. Krug, On Arov-normalized j_{pq}-J_q-elementary factors 267 (1997) 11–40

Fuhrmann, P.A., *see* Helmke, U. 271 (1998) 117–138

Fujishige, S. and Z. Yang, A lexicographic algebraic theorem and its applications 279 (1998) 75

Gómez, J.R., A. Jiménez-Merchán and J. Núñez-Valdés, An algorithm to obtain laws of families of filiform Lie algebras 279 (1998) 1

Galanis, S., A. Hadjidimos and D. Noutsos, Optimal p-cyclic SOR for complex spectra: 263 (1997) 233

Galindo, A.M. and A.R. Palacios, Algebra norms on tensor products of algebras, and the norm extension problem 269 (1998) 257–305

Galkowski, K., E. Rogers and D.H. Owens, Matrix rank based conditions for reachability/controllability of discrete linear repetitive processes 275–276 (1998) 201

GarciaSanchez, P.A., *see* Anderson, E.J. 270 (1998) 231–253

Gemignani, L., A fast algorithm for generalized Hankel matrices arising in finite-moment problems 267 (1997) 41–52

Gilbert, J.R., E.G. Ng and W.P. Barry, Separators and structure prediction in sparse orthogonal factorization 262 (1997) 83–97

Gladwell, G.M.L., Total positivity and the QR algorithm 271 (1998) 257

Godunov, S.K. and M. Sadkane, Computation of pseudospectra via spectral projectors 279 (1998) 163

Goh, S.S. and V.B. Yap, Matrix extension of biorthogonal multiwavelet construction 269 (1998) 139–157

Gohberg, I., M.A. Kaashoek and F. van Schagen, Operator blocks and quadruples of subspaces: classsification and the Eigenvalue completion problem 269 (1998) 65–89

Goldberg, M., *see* Arens, R. 267 (1997) 1–10

Golumbic, M.C., Matrix sandwich problems 277 (1998) 239

Gonzaga, C.C. and J.L. Hugo, A note on properties of condition numbers 261 (1997) 269–273

Goodeari, K.R., *see* Ara, P. 265 (1997) 147–163

Goreinov S.A., E.E. Tytyshnikov and N.L. Zamarashkin, A theory of pseudoskeleton approximations 261 (1997) 1–21

Govaerts, W., Defining functions for manifolds of matrices 266 (1997) 49–68

Gowda, S.M., *see* Jones, C. 272 (1998) 33–44

Gower, J.C. and B. Zeilman, Orthogonality and its approximation in the analysis of asymmetry 278 (1998) 183

Grady, M. and N. Morris, The geometry of an interchange: minimal matrices and circulants 262 (1997) 11–25

Groß, J. and S.-O. Troschke, Some remarks on partial orderings of nonnegative definite matrices 264 (1997) 457–461

Groß, J., On semi-star-related matrices 264 (1997) 495–503

Groß, J., Special generalized inverse matrices connected with the theory of unified least squares 264 (1997) 325–327
Groß, J. and G. Trenkler, Generalized and hypergeneralized projectors 264 (1997) 463–474
Grossman, G., *see* Fleming, R. 279 (1998) 39
Grudsky, S.M., *see* Böttcher, A. 279 (1998) 285
Gunawan, E., *see* Dong, X.-D. 277 (1998) 57
Gutkin, E., *see* Jonckheere, E.A. 279 (1998) 227
György, M., L. Molnár and P. Šemrl, Linear rank and corank preserving maps on $\mathcal{B}(H)$ and an application to *-semigroup isomorphisms of operator ideals 280 (1998) 253

Hadjicostas, P., Copositive matrices and Simpson's paradox 264 (1997) 475–488
Hadjidimos, A., *see* Avdelas, G. 265 (1997) 29–54
Hadjidimos, A., *see* Galanis, S. 263 (1997) 233–260
Hang, W., *see* Ding, J. 272 (1998) 181–192
Hanlon, P., To the Latimer–Macduffee theorem and beyond! 280 (1998) 21
Hanna, L.A.-M., M.E. Khalifa and S.S. Hassan, On representations of Lie algebras for quantized hamiltonians 266 (1997) 69–79
Harada, M., *see* Li, B. 271 (1998) 179–190
Hartfiel, D.J. and C.D. Meyer, On the structure of stochastic matrices with a subdominant Eigenvalue near 1 272 (1998) 193–203
Hartfiel, D.J. and U.J. Rothblum, Convergence of inhomogenous products of matrices and coefficients of ergodicity 277 (1998) 1
Hartfiel, D.J., Eigenvector sets for intervals of matrices 262 (1997) 1–10
Hartwig, R.E., *see* Chen, X. 267 (1997) 335–358
Harville, D.A. and O. Kempthorne, An alternative way to establish the necessity part of the classical result on the statistical independence of quadratic forms 205–215
Hassan, S.S., *see* Hanna, L.A.-M. 266 (1997) 69–79
Havlícek, M., J. Patera and E. Pelantova, On Lie gradings II 277 (1998) 97
Heike, F., *see* Benner, P. 263 (1997) 75–111
Heinig, G. and A. Bojanczyk, Transformation techniques for Toeplitz and Toeplitz-plus-Hankel matrices II. Algorithms 278 (1998) 11
Heinig, G. and K. Rost, Representations of Toeplitz-plus-Hankel matrices using trigonometric transformations with application to fast matrix-vector multiplication 275–276 (1998) 225
Heinig, G., Generalized Cauchy-Vandermonde matrices 270 (1998) 45–77
Heinig, G., Matrices with higher order displacement structure 278 (1998) 295
Helmke, U. and P.A. Fuhrmann, Tangent spaces of rational matrix functions 271 (1998) 1–40
Helton, J.W., *see* Agler, J. 274 (1998) 125–160
Hermida-Alonso, J.A., *see* Carriegos, M. 279 (1998) 119
Hershkowitz, D., *see* Elsner, L. 279 (1998) 13
Hershkowitz, D., A.J. Hoffman and H. Schneider, On the existence of sequences and matrices with prescribed partial sums of elements 265 (1997) 71–92
Hershkowitz, D., On cones and stability 275–276 (1998) 249
Heyouni, M. and H. Sadok, On a variable smoothing procedure for Krylov subspace methods 268 (1998) 131–149
Higham, N.J. and S.H. Cheng, Modifying the inertia of matrices arising in optimization 275–276 (1998) 261
Hillman, J.A., B.R.F. Jefferies, W.J. Ricker and B. Straub, Differential properties of the numerical range map of pairs of matrices 267 (1997) 317–334
Hjorth, P., P. Lisonëk, S. Markvorsen and C. Thomassen, Finite metric spaces of strictly negative type 270 (1998) 255–273
Hoffman, A.J., *see* Coppersmith, D. 263 (1997) 201–220
Hoffman, A.J., *see* Hershkowitz, D. 265 (1997) 71–92
Hoffmann, J., D. Prätzel-Wolters and E. Zerz, A balanced canonical form for discrete-time minimal systems using characteristic maps 277 (1998) 63
Hoffmann, W., The Gauss–Huard algorithm and LU factorization 275–276 (1998) 281
Hoffman, A., What Olga did for me 280 (1998) 13
Hogben, L., *see* Cain, B. 268 (1998) 151–69
Hong, S.-F. and M.-C. Zhang, On the structure rank of a class of structure matrices 268 (1998) 355–364
Hong, Y., *see* Datta, K. 267 (1997) 221–240

Horn, R.A., N.H. Rhee and S. Wasin, Eigenvalue inequalities and equalities 270 (1998) 29–44

Horne, B.G., Lower bounds for the spectral radius of a matrix 263 (1997) 261–273

Hu, T. and L. Qiu, On structured perturbation of Hermitian matrices 275–276 (1998) 287

Hugo, J.L., *see* Gonzaga, C.C. 261 (1997) 269–273

Hu, Y., *see* Chen, G. 277 (1998) 199

Huang, L.J., *see* Ding, J. 262 (1997) 229–242

Huckle, T., Computations with Gohberg-Semencul-type forumulas for Toeplitz matrices 273 (1998) 169–198

Humphries, S.P., Cogrowth of groups and a matrix of Redheffer 265 (1997) 101–117

Hung, Y.S. and D. Chu, On extended (*J, J'*)-lossless factirization 271 (1998) 117–138

Hung, Y.S. and D.L. Chu, Relationships between discrete-time and continuous-time algebraic Riccati Inequalities 270 (1998) 287–313

Hwang, T.-M., W.-W. Lin, and P. Daniel, Improved bound for rank revealing LU factorizations 261 (1997) 173–186

Hwang, F.K., S. Onn and U.G. Rothblum, Representations and characterizations of vertices of bounded-shape partition polytopes 278 (1998) 1

Hwang, S.-G., *see* Shao, J.-Y. 279 (1998) 207

Igodt, P., *see* Dekimpe, K. 263 (1997) 349–375

Im, E.I., Narrower Eigenbounds for Hadamard products 264 (1997) 141–144

Insel, A.J., Levels of subnormality 262 (1997) 27–53

Ionescu, V., Time-varying discrete Riccati equation in terms of Ben Artzi–Gohberg dichotomy 277 (1998) 313

Ito, H., A new statement about the theorem determining the region of Eigenvalues of stochastic matrices 267 (1997) 241–246

Ivanov, I.G. and S.M. El-sayed, Properties of positive definite solutions of the equation $X + A^*X^{-2}A = I$ 279 (1998) 303

Iwata, S., Block triangularization of skew-symmetric matrices 273 (1998) 215–226

Iwata, S., D.D. Olesky and P. van den Driessche, Patterns that preserve sparsity in orthogonal factorization 268 (1998) 345–354

Jackiewicz, Z., *see* Burrage, K. 279 (1998) 51

Jain, S.K., *see* Bapat, R.B. 261 (1997) 143–154

Jang, H.-J., A constrained least-squares approach to the rapid reanalysis of structures, 265 (1997) 185–202

Janiszczak, I., *see* Fleischmann, P. 274 (1998) 17–26

Jefferies, B.R.F., *see* Hillman, J.A. 267 (1997) 317–334

Jensen, D.R., Bounds on Mahalanobis norms and their applications 264 (1997) 127–139

Ji, C. *see* Shivakumar, P.N. 273 (1998) 29–43

Jia, Z., A refined iterative algorithm based on the Block Arnoldi Process for large unsymmetric Eigenproblems 270 (1998) 171–189

Jiang, E. and P.C.B. Lam, An upper bound for the spectral condition number of a diagonalizable matrix 262 (1997) 165–178

Jiang, E., Challenging eigenvalue perturbation problems 278 (1998) 303

Jiménez-Merchán, A., *see* Gómez, J.R. 279 (1998) 1

Johnson, C.R. *see* Fallat, S.M. 277 (1998) 187

Johnson, C.R. and M. Lundquist, Local inversion of matrices with sparse inverses 277 (1998) 33

Johnson, C.R. and T. Szulc, Further lower bounds for the smallest singular value 272 (1998) 169–179

Johnson, C.R., Maybee, S.J., D.D. Olesky and P. van den Driessche, Nested Sequences of Principal Minors and Potential Stability 262 (1997) 243–257

Johnson, C.R., *see* Cain, B. 268 (1998) 151–69

Johnson, C.R., Olga, matrix theory and the Taussky unification problem 280 (1998) 39

Jonckheere, E.A., F. Ahmad and E. Gutkin, Differential topology of numerical range 279 (1998) 227

Jones, C. and S.M. Gowda, On the connectedness of solution sets in linear complementarity problems 272 (1998) 33–44

Jordán, C., J.R. Torregrosa and A. Urbano, An algorithm for nilpotent completions of partial Jordan matrices 275–276 (1998) 315

Junghanns, P. and U. Luther, Uniform convergence of a fast algorithm for Cauchy singular integral equations 275–276 (1998) 327

Kästner, J., A. Borobia, A. Dress and C. Zylka, Extremal majorizing and anti-majorizing matrices 278 (1998) 133
Kaashoek, M.A., *see* Gohberg, I. 269 (1998) 65–89
Kailath, T. and V. Olshevsky, Displacement-structure approach to polynomial vandermonde and related matrices 261 (1997) 49–90
Kalantari, B. and M.R. Emamy-K, On linear programming and matrix scaling over the algebraic numbers 262 (1997) 283–306
Kaplansky I., *see* Bussemaker, F. 261 (1997) 275–292
Karuppan Chetty, C.S. and S. Maria Arulraj, Falsity of Wang's conjecture on stars 277 (1998) 49
Kempthorne O., *see* Harville, D.A. 205–215
Khalifa, M.E., *see* Hanna, L.A.-M. 266 (1997) 69–79
Kirkland, S., Perron vector bounds for a tournament matrix with applications to a conjecture of Brualdi and Li 262 (1997) 209–227
Kirkland, S., *see* Beasley, L.B. 261 (1997) 195–205
Kirkland, S., *see* Shader, B. 275–276 (1998) 1
Kirkland, S., A note on perron vectors for almost regular tournament matrices 266 (1997) 43–47
Kirkland, S., *see* Taşçi, D. 273 (1998) 23–28
Kirkland, S., Review of non negative matrices and applications 277 (1998) 135
Kirkland, S.J., M. Neumann and L.S. Bryan, Applications of Paz's Inequality to perturbation bounds for Markov Chains 268 (1998) 183–196
Kirstein, B., *see* Fritzsche, B. 267 (1997) 11–40
Knörr, R., *see* Fleischmann, P. 274 (1998) 17–26
Kohno, T., H. Kotakemori, H. Niki and M. Usui, Improving the modified Gauss-Seidel method for Z-matrices 267 (1997) 113–123
Kollo, T. and H. Neudecker, The derivative of an orthogonal matrix of eigenvectors of a symmetric matrix 264 (1997) 489–493
Kolotilina, L.Yu., Eigenvalue bounds and inequalities using vector aggregation of matrices 271 (1998) 139–167
Kotakemori, H., *see* Kohno, T. 267 (1997) 113–123
Kouvaritakis, B., *see* Basilio, J.C. 266 (1997) 107–125
Krafft, O., An arithmetic-harmonic-mean inequality for nonnegative definite matrices 268 (1998) 243–246
Kratz, W. and D. Liebscher, A local characterization of observability 269 (1998) 115–137
Krishnamoorthy, S., *see* Meenakshi, A.R. 269 (1998) 219–232
Kroon, L., *see* Bart, H. 278 (1998) 195
Krug, V., *see* Fritzsche, B. 267 (1997) 11–40
Krupnik, I. and P. Lancaster, Linearizations, realization, and scalar products for regular matrix polynomials 272 (1998) 45–57
Krupnik, M., Jordan structures of upper equivalent matrices 261 (1997) 167–172
Kuroda, M., A quadratic from $\mathrm{tr}(AX^2)$ and its application 266 (1997) 181–198
Kuznetsov, S.V., Perturbation bounds of the Krylov bases and associated Hessenberg forms 265 (1997) 1–28
Kwak, D.Y., A norm estimate for the ADI method for nonsymmetric problems 266 (1997) 127–141

Laffey, T.J., Extreme nonnegative matrices 275–276 (1998) 349
Laffey, T.J., Some aspects of Olga Taussky's work in algebra 280 (1998) 51
Lai, S.-H. and B.C. Vermuri, Sherman-Morrison-Woodhury-formula-based algorithms for the surface smoothing problem 265 (1997) 203–229
Lal, A.K., Inequalities for the q-permanent. II 274 (1998) 1–16
Lam P., C.B., *see* Jiang, E. 262 (1997) 165–178
Lam, T.K., *see* Chan, O. 261 (1997) 23–47
Lam, T.K., *see* Chan, O. 273 (1998) 119–131
LaMotte, L.R., *see* Volaufová, J. 264 (1997) 247–253
Lancaster, P., *see* Krupnik, I. 272 (1998) 45–57
Langer, H., A.C.M. Ran and D. Temme, Nonnegative solutions of algebraic riccati equations 261 (1997) 317–352
Laurent, M., A connection between positive semidefinite and Euclidean distance matrix completion problems 273 (1998) 9–22
Lavrič, B., Convergence of certain bounded sequences 278 (1998) 1
Le, B.L., Generating graded central simple algebras 268 (1998) 323–344

Lee, R.B., *see* Datta, K. 267 (1997) 221–240
Lee, S.-G., S.W. Park and H.-G. Seol, Linear operators strongly preserving matrices whose sign patterns require the Perron Property 269 (1998) 53–63
Lei, T.-G. and B.-Y. Wang, Indices and nonzero decomposable elements of a symmetry class of tensors 279 (1998) 21
Lei, T.-G., Generalized Schur functions and generalized decomposable symmetric tensors 263 (1997) 311–332
Leibovici, D. and R. Sabetier, A singular value decomposition of a k-Way array for a principal component analysis multiway data, PTA-k 269 (1998) 307–329
Leibscher, D., *see* Kratz, W. 269 (1998) 115–13
Leng, G. and Y. Zhang, The generalized sine theorem and inequalities for simplices 278 (1998) 237
Lenker, T., *see* Fleming, R. 279 (1998) 39
Levy, B.C., *see* Ferrante, A. 274 (1998) 259–300
Levy, B.C., A note on the hyperbolic singular value decomposition 277 (1998) 135
Lewis, A.S., Eigenvalue-constrained faces 269 (1998) 159–181
Li, B. and M.J. Tsatsomeros, Doubly diagonally dominant matrices 261 (1997) 221–235
Li, B., L. Li, M. Harada, H. Niki and M.J. Tsatsomeros, An iterative criterion for H-matrices 271 (1998) 179–190
Li, C. -K. *see* Coleman, T. 271 (1998) 235–266
Li, C.-K. and R. Mathias, Generalized Eigenvalues of a definite Hermitian matrix pair 271 (1998) 309–320
Li, C.-K., I. Spitkovsky and S. Shukla, Equality of higher numerical ranges of matrices and a conjecture of Kippenhahn on Hermitian pencils 270 (1998) 323–349
Li, C.-K., Review of *Matrix Analysis* by Rajendra Bhatia 273 (1998) 227–229
Li, J.-S. and Zhang, X.-D., A new upper bound for Eigenvalues of the Laplacian matrix of a graph 265 (1997) 93–100
Li, L., *see* Zhang, Z. 271 (1998) 169–177
Li, L., An improvement on Ky Fan's theorem of matrix eigenvalues 279 (1998) 111
Li, N., A matrix inverse Eigenvalue problem and its application
Li, Q., *see* Wu, Y. 277 (1998) 41
Li, R.-C., Relative Perturbation Theory, III. More bounds on Eigenvalue Variation 266 (1997) 337–345
Li, R.-C. Spectral variations and Hadamard products: Some problems 278 (1998) 317
Li, W., *see* Chen, Z. 279 (1998) 281
Lim, M.H., Invertible preservers of certain decomposable tensors 266 (1997) 153–159
Lim, M.H., *see* Chooi, W.L. 269 (1998) 241–255
Limaye, B., *see* Ahues, M. 268 (1998) 71–89
Lin, W.-W., *see*, Hwang, T.-M. 261 (1997) 173–186
Lin, C.-S., Operator versions of inequalities and equalities on a Hilbert Space 268 (1998) 365–374
Lin, F.-Z., *see* Chien, M.-T. 274 (1998) 389–410
Linden, H., Bounds for the zeros of polynomials from Eigenvalues and singular values of some companion matrices 271 (1998) 41–82
Lisonĕk, P., *see* Hjorth, P. 270 (1998) 255–273
Littleboy, D.M. and N.K. Nichols, Modal coupling in linear control systems using robust eigenstructure assignment 275–276 (1998) 359
Liu, B., *see* Cheng, B. 277 (1998) 83
Liu, J. and L. Zhu, A minimum principle and estimates of the Eigenvalues for Schur complements positive semidefinite Hermitian matrices 265 (1997) 123–145
Liu, M., *see* Zhang, Z. 271 (1998) 169–177
Liu, W.-M., *see* Wu, Z.-M. 267 (1997) 53–63
Liu, W.Q. and V. Sreeram, A new characterization on stability bounds for singularly perturbed systems 263 (1997) 377–388
Logemann, H., Destabilising effects of small time delays on feedback controlled descriptor systems 272 (1998) 131–153
Loiseau, J.J., S. Mondié, I. Zaballa and P. Zagalak, Assigning the Kronecker invariants of a matrix pencil by row or column completions 278 (1998) 327
López, M.A., *see* Anderson, E.J. 270 (1998) 231–253
Lösche, R., H. Schwetlick and G. Timmermann, A modified block Newton iteration for approximating an invariant subspace of a symmetric matrix 275–276 (1998) 381
Loubaton, P., *see* Alpay, D. 268 (1998) 247–287

Lu, Y.Y., Exponentials of symmetric matrices through tridiagonal reductions 279 (1998) 317

Lubary, J.A., Multiplicity of solutions of second-order linear differential equations on networks 274 (1998) 301–315

Lumsdaine, A. and D. Wu, Spectra and pseudospectra of block Toeplitz matrices 272 (1998) 103–130

Lundquist, M., *see* Johnson, C.R. 277 (1998) 33

Lundquist, M., *see* Coleman, T. 271 (1998) 235–226

Lundy, T.J. and J. Maybee, Uniformly one-connected matrices and their inverses 268 (1998) 227–242

Lur, Y.-Y., *see* Shih, M.-H. 274 (1998) 27–36

Luther, U., *see* Junghanns, P. 275–276 (1998) 327

Ma, Y. and A. Edleman, Non-generic Eigenvalue perturbations of Jordan blocks 273 (1998) 45–63

Mackens, W. and H. Voss, A projection method for computing the minimum eigenvalue of a symmetric positive definite Toeplitz matrix 275–276 (1998) 401

Malamud, S.M., On a class of multiparameter perturbations of positive definite operators with fixed bounds on their spectrum 274 (1998) 239–257

Marcus, M., On a determinant result of I. Olkin 277 (1998) 237

Maria Arulraj, S., *see* Karuppan Chetty, C.S. 277 (1998) 49

Markham, T.L., *see* Fiedler, M. 266 (1997) 243–259

Markvorsen, S., *see* Hjorth, P. 270 (1998) 255–273

Maroulas, J. and P. Psarrakos, On the connectedness of numerical range of matrix polynomials 280 (1998) 97

Maroulas, J. and P. Psarrakos, The boundary of the numerical range of matrix polynomials 267 (1997) 101

Martínez-Legaz, J.-E. and I. Singer, On Φ-convexity of convex functions 278 (1998) 163

Martins, E.A. and F.C. Silva, On the number of invariant polynomials and matrix commutators 262 (1997) 179–188

Mathai, A.M. and G. Pederzoli, A whittaker function of matrix argument 269 (1998) 91–103

Mathias, R. and K. Veselić, A relative perturbation bound for positive definite matrices 270 (1998) 315–321

Mathias, R., *see* Li, C.-K. 271 (1998) 309–320

Maybee, J., *see* Lundy, T.J. 268 (1998) 227–242

Maybee, S.J., *see* Johnson, C.R. 262 (1997) 243–257

McDonald, J.J., D.D. Olesky, M.J. Tsatsomeros and P. van den Driessche, Ray patterns of matrices and nonsingularity 267 (1997) 359–373

McKay, B., *see* Bussemaker, F. 261 (1997) 275–292

Mecheri, S., Derivation ranges 279 (1998) 31

Meenakshi, A.R. and S. Krishnamoorthy, On k-EP matrices 269 (1998) 219–232

Meharmann, V., *see* Shader, B., 275–276 (1998) 1

Meini, B., *see* Bini, D.A. 272 (1998) 1–16

Merikoski, J.K. and A. Virtanen, Bounds for Eigenvalues using the trace and determinant 264 (1997) 101–108

Merris, R., Laplacian graph eigenvectors 278 (1998) 221

Meshulam, R. and N. Radwan, On linear subspaces of nilpotent elements in a Lie algebra 279 (1998) 195

Messaoudene, M., The unit mass ball of three-vectors in R^6 265 (1997) 247–298

Metz, V., Shorted operators: an application in potential theory 264 (1997) 439–455

Meyer, R., Nonlinear Eigenvector algorithms for local optimization in multivariate data analysis 264 (1997) 225–246

Meyer, C.D., *see* Hartfiel, D.J. 272 (1998) 193–203

Micali, A. and M. Ouattara, Algèbres génétiques dimensionnellement nilpotentes 266 (1997) 271–290

Michael, R.C., Exceptional modules are tree modules 275–276 (1998) 471

Michaletzky, G., *see* Bolla, M. 269 (1998) 33–1365

Michler, G., *see* Shader, B. 275–276 (1998) 1

Miller, V.A., *see* Bevis, J.H. 265 (1997) 55–69

Milstein, J., *see* Moeller, T.L. 274 (1998) 161–191

Moeller, T.L. and J. Milsteine, Generalized algebraic structures for the representation of discrete systems 274 (1998) 161–191
Mom, A., Eigenstructure of distance matrices with an equal distance subset 280 (1998) 245
Mond, B., J. Pečarić, J. Šunde and S.Varošanec, Operator versions of some classical inequalities 264 (1997) 117–126
Mond, B., *see* Alić, M. 55–62
Mondié, S., *see* Loiseau, J.J. 278 (1998) 327
Molnár, L., *see* György 280 (1998) 253
Montefusco, L.B., *see* Barnabei, M. 274 (1998) 367–388
Móricz, F. and B.E. Rhoades, An equivalent reformulation of summability by weighted mean methods 268 (1998) 171–181
Moro, J. and J. M. Vegas, Reduced stability of parameter-dependent matrices 268 (1998) 289–321
Moro, J., *see* Borobia, A. 278 (1998) 287
Moro, J., *see* Borobia, A. 266 (1997) 365–379
Morris, N., *see* Grady, M. 262 (1997) 11–25
Morris, W., *see* Fischer, K.G. 270 (1998) 231–253
Moussa, O., *see* Micali, A. 266 (1997) 271–290

Núñez-Valdés, J., *see* Gómez, J.R. 279 (1998) 1
Nabben, R., *see* Elsner, L. 271 (1998) 321–341
Nagy, B., *see* Förster, K.-H. 275–276 (1998) 189
Nagy, B., *see* Förster, K.-H. 268 (1998) 41–57
Narayan, S., *see* Fleming, R. 279 (1998) 39
Neubauer, M.G., W. Watkins and J. Zeitlin, Notes on D-optimal designs 280 (1998) 109
Neubauer, M.G., An inequality for positive definite matrices with applications to combinatorial matrices 267 (1997) 163–174
Neudecker, H., *see* Kollo, T. 264 (1998) 489–493
Neufeld, S., *see* Shen, J. 274 (1998) 411–426
Neufeld, S., *see* Shen, J. 268 (1998) 117–129
Neumaier, A., Scaling and structural condition numbers 263 (1997) 157–165
Neumann, M., *see* Elsner, L. 271 (1998) 321–341
Neumann, M., *see* Kirkland, S.J. 268 (1998) 183–196
Ng, E.G., *see* Gilbert, J.R. 262 (1997) 83–97
Ng, M.K., FFT-based exponentially weighted recursive least squares computations 263 (1997) 167–191
Nichols, N.K., *see* Littleboy, D.M. 275–276 (1998) 359
Nievergelt, Y., Schmidt-Mirsky matrix approximation with linearly constrained singular values 261 (1997) 207–219
Niezgoda, M., An analytical characterization of effective and of irreducible groups inducing cone orderings 269 (1998) 105–114
Niezgoda, M., Group majorization and Schur type inequalities 268 (1998) 9–30
Niki, H., *see* Kohno, T. 267 (1997) 113–123
Niki, H., *see* Li, B. 271 (1998) 179–190
Nkiet, G.M., *see* Dauxois, J. 264 (1997) 355–388
Noutsos, D., *see* Galanis, S. 263 (1997) 233–260
Nylen, P., Null space structure of tree-patterned matrices 279 (1998) 153

O'Meara, K.C., *see* Ara, P. 265 (1997) 147–163
Okniński, J., Triangularizable semigroups of matrices 262 (1997) 111–118
Olesky, D.D., *see* Iwata, S. 268 (1998) 345–354
Olesky, D.D., *see* Johnson, C.R. 262 (1997) 243–257
Olesky, D.D., *see* McDonald, J.J. 267 (1997) 359–373
Olkin, I., A determinantal proof of the Craig-Sakamoto theorem 264 (1997) 217–223
Olshevsky, V., *see* Kailath, T. 261 (1997) 49–90
Ong, S.-C., *see* Fleming, R. 279 (1998) 39
Ongenae, V., *see* Dekimpe, K. 263 (1997) 349–375
Onn, S., *see* Hwang, F.K. 278 (1998) 1
Owens, D.H., *see* Galkowski, K. 275–276 (1998) 201

Pühl, H., W. Schirotzek and M.R. Weber, On matrices satisfying a maximum principle with respect to a cone 277 (1998) 337
Palacios, A.R., *see* Galindo, A.M. 269 (1998) 257–305
Pang, C.-T., *see* Shih, M.-H. 274 (1998) 27–36
Pardo, E., *see* Ara, P. 265 (1997) 147–163
Park, S.-W., *see* Lee, S.-G. 269 (1998) 53–63
Parlett, B.N., Spectral sensitivity of products of bidiagonals 275–276 (1998) 417
Parthasarathy, T., R. Sridhar and B. Sriparna, On Lipschitzian Q_0 and INS matrices 263 (1997) 193–199

Partlett, B.N. and S.I. Dhillon, Fernando's Solution to Wilkinson's Problem: An application of double factorization 267 (1997) 247–279
Patera, J., *see* Havlícek, M. 277 (1998) 97
Pečarić, J., *see* Alić, M. 264 (1997) 55–62
Pečarić, J., *see* Mond, B. 264 (1997) 117–126
Pederzoli, G., *see* Mathai, A.M. 269 (1998) 91–103
Pelantova, E., *see* Havlícek, M. 277 (1998) 97
Peña, J.M. On the Schur and singular value decompositions of oscillatory matrices 261 (1997) 307–315
Perea, C., *see* Climent, J.-J. 275–276 (1998) 77
Petek, T. and P. Šemrl, Characterization of Jordan Homomorphisms on M_n using preserving properties 269 (1998) 33–46
Picci, G., J.M. van den Hof and J.H. van Schuppen, Primes in several classes of the positive matrices 277 (1998) 149
Pinkus, A., An interlacing property of eigenvalues of strictly totally positive matrices 279 (1998) 201
Pisieh, G., Quadratic forms in unitary operators 267 (1997) 125–137
Pittenger, A.O., Mappings of Latin squares 261 (1997) 251–268
Plonka, G., *see* Berg, L. 275–276 (1998) 49
Potts, D., G. Steidl and M. Tasche, Fast and stable algorithms for discrete spherical Fourier transforms 275–276 (1998) 433
Prätzel-Wolters, D., *see* Hoffmann, J. 277 (1998) 63
Psarrakos, P., *see* Maroulas, J. 267 (1997) 101–111
Psarrakos, P., *see* Maroulas, J. 280 (1998) 97
Puerta, F., *see* Ferrer, J. 275–276 (1998) 161
Puerta, X., *see* Ferrer, J. 275–276 (1998) 161
Putinar, M., Matrix analysis and the Friedrichs operator of a quadrature domain 270 (1998) 215–229

Qiu, L., *see* Hu, T. 275–276 (1998) 287
Qui, L., *see* Bernhardsson, B. 270 (1998) 131–154
Quintana-Ortí, E.S., *see* Quintana-Ortí, G. 275–276 (1998) 451
Quintana-Ortí, G. and E.S. Quintana-Ortí, Parallel codes for computing the numerical rank 275–276 (1998) 451

Radwan, N., *see* Meshulam, R. 279 (1998) 195
Ran, A.C.M., *see* Langer, H. 261 (1997) 317–352
Ran, A.C.M., *see* Bolshakov, Y. 261 (1997) 91–141
Rantzer, A., *see* Bernhardsson, Bo. 270 (1998) 131–154
Rhee, N.H., *see* Horn, R.A. 270 (1998) 29–44
Reichstein, B., *see* Bolshakov, Y. 261 (1997) 91–141
Reinschke, K.J., *see* Röbenack, K. 263 (1997) 333–348
Reinschke, K.J. and G. Wiedemann, Digraph characterization of structural controllability for linear descriptor systems 266 (1997) 199–217
Reinschke, K.J., *see* Röbenack, K. 275–276 (1998) 495
Resta, G., *see* Codenotti, B. 267 (1997) 65–100
Rhoades, B.E., *see* Móricz, F. 268 (1998) 171–181
Ricker, W.J., *see* Hillman, J.A. 267 (1997) 317–334
Röbenack, K. and K.J. Reinschke, Graph-theoreticfally determined jordan-block-size structure of regular matrix pencils 263 (1997) 333–348
Robinson, D.W., The image of the adjoint mapping 277 (1998) 143
Roca, A. and I. Zaballa, Restricted invariant factor assignment under state-feedback 275–276 (1998) 509
Roch, S. and B. Silbermann, A note on singular values of Cauchy–Toeplitz matrices 275–276 (1998) 531
Rodman, L., *see* Bolshakov, Y. 261 (1997) 91–141
Rogers, E., *see* Galkowski, K. 275–276 (1998) 201
Rohn, J., Overestimations in bounding solutions of perturbed linear equations 262 (1997) 55–65
Rosales, J.C. and P.A. Gargia-Sanchez, Nonnegative elements of subgroups of $\mathbb{Z}^n$ 270 (1998) 351–357
Rosário, F., *see* Da Silva, D.A.D. 271 (1998) 191–219
Röbenack, K. and K.J. Reinschke, Digraph based determination of Jordan block size structure of singular matrix pencils 275–276 (1998) 495

Rost, K. and Z. Vavřín, Inversion formulas and fast algorithms for Löwner–Vandermonde matrices 275–276 (1998) 537
Rost, K., *see* Heinig, G. 275–276 (1998) 225
Rothblum, U.G., *see* Hwang, F.K. 278 (1998) 1
Rothblum, U.G., *see* Coppersmith, D. 263 (1997) 201–220
Rothblum, U.J., *see* Hartfiel, D.J. 277 (1998) 1
Rudolf, R., On Monge sequences in *d*-Dimensional arrays 268 (1998) 59–70
Rump, S.M., Theorems of Perron-Frobenius type for matrices without sign restrictions 266 (1997) 1–42
Rump, S.M., The sign-real spectral radius and cycle products 279 (1998) 177
Rump, S.M., Structured perturbations and symmetric matrices 278 (1998) 121

Sánchez-Giralda, T., *see* Carriegos, M. 279 (1998) 119
Šunde, J., *see* Mond, B. 117–126
Sabatier, R., *see* Leibovici, D. 269 (1998) 307–329
Saberi, A., *see* Stoorvogel, A.A. 274 (1998) 317–365
Sadkane, M., *see* Godunov, S.K. 279 (1998) 163
Sadok, H., *see* Ballaij, M. 269 (1998) 183–195
Sadok, H., *see* Heyouni, M. 268 (1998) 131–149
SahaRay, R., *see* Bhimasankaram, P. 264 (1997) 329–339
Salam, A., What is a vector Hankel determinant 278 (1998) 147
Schirotzek, W., *see* Pühl, H. 277 (1998) 337
Schmale, W., A symmetric approach to cyclization for systems over C[*y*] 263 (1997) 221–232
Schmale, W., Matrix cyclization over complex polynomials 275–276 (1998) 551
Schneider, H. and H.F. Weinberger, On matrices for which norm bounds are attained 275–276 (1998) 563
Schneider, H., *see* Hershkowitz, D. 265 (1997) 71–92
Schneider, H., *See* Brualdi, R.A. 280 (1998) 1
Schneider, H., Some personal reminiscences of Olga Taussky-Todd 280 (1998) 15
Schwetlick, H., *see* Lösche, R. 275–276 (1998) 381
Searle, S.R., The matrix handling of BLUE and BLUP in the mixed linear model 264 (1997) 291–311
Seddik, A. and J. Charles, Sur l'image et le noyau d'une dérivation généralisée 274 (1998) 77–83
Seidel, Jacob., *see* Bussemaker, F. 261 (1997) 275–292
Šemrl, P., *see* Patek, T. 269 (1998) 33–46
Seol, H.-G., *see* Lee, S.-G. 269 (1998) 53–63
Sergeichuk, V.V., Unitary and Euclidean representations of a quiver 278 (1998) 37
Serra, S., On the extreme Eigenvalues of Hermitian (Block) Toeplitz matrices 270 (1998) 109–129
Serra, S., The extension of the concept of the generating function to a class of preconditioned Toeplitz matrices 267 (1997) 139–161
Shader, B., V. Mehrmann, G. Michler and S. Kirkland, Preface 275–276 (1998) 1
Shader, B.L., *see* Kirkland, S.J. 268 (1998) 183–196
Shao, J.-Y. and S.-G. Hwang, Generalized exponents of non-primitive graphs 279 (1998) 207
Shapiro, Y., Parallelizable approximate solvers for recursions arising in preconditioning 274 (1998) 211–237
Schneider, H., Preface 280 (1998) 1
Shapiro, H., Publications about Olga Taussky-Todd 280 (1998) 59
Shapiro, H., Introduction 280 (1998) 5
Shapiro, J., *see* Fischer, K.G. 270 (1998) 231–253
Shekhtman, B., *see* Chalmers, B. 270 (1998) 155–169
Shen, J. and S. Neufeld, Local exponents of primitive digraphs 268 (1997) 117–129
Shen, J. and S. Neufeld, On a problem of Lewin 274 (1998) 411–426
Shih, M.-H., Y.-Y. Lur and C.-T. Pang, An inequality for the spectral radius of an interval matrix 274 (1998) 27–36
Shivakumar, P.N. and C. Ji, On the nonsingularity of matrices with certain sign patterns 273 (1998) 29–43
Shukla, S., *see* Li, C.-K. 270 (1998) 323–349
Sidi, A., Krylov subspace methods for eigenvalues with special properties and their analysis for normal matrices 280 (1998) 129
Silbermann, B., *see* Didenko, V.D. 275–276 (1998) 121
Silbermann, B., *see* Roch, S. 275–276 (1998) 531

Silva, F.C., Possible block similarity classes of a matrix with a prescribed non-principal submatrix. II 262 (1997) 259–282
Silva, F.C., *see* Martins, E.A. 262 (1997) 179–188
Silva, F.C., On feedback equivalence and completion problems 265 (1997) 231–245
Simonis, J., *see* Ashikhmin, A. 269 (1998) 197–217
Singer, I., *see* Martínez-Legaz, J.-E. 278 (1998) 163
Skula, L., Involutions for matrices and generalized inverses 271 (1998) 283–308
Slapničar, I., Componentwise analysis of direct factorization of real symmetric and Hermitian Matrices 272 (1998) 227–275
Smith, R.L., *see* Fallat, S.M. 277 (1998) 187
Šemrl, P., *see* Györy, M. 280 (1998) 253
Snyder, L.E., *see* Bapat, R.B. 261 (1997) 143–154
So, W., *see* Day, J. 280 (1998) 289
Soh, C.B., On the largest polytope of polynomials with a precise number of distinct real zeros 265 (1997) 173–183
Song, S.-Z., *see* Cheon, G.-S. 269 (1998) 47–52
Spanoudakis, N.K., Operators in finite distributive subspace lattices. III 262 (1997) 189–207
Spitkovsky, I., *see* Li, C.-K. 270 (1998) 323–349
Sreeram, V., *see* Liu, W.Q. 263 (1997) 377–388
Sridhar, R., *see* Parthasarathy, T. 263 (1997) 193–199
Sriparna, B., *see* Parthasarathy, T. 263 (1997) 193–199
Stankus, M., *see* Agler, J. 274 (1998) 125–160
Steidl, G., *see* Potts, D. 275–276 (1998) 433
Stephens, M.A., *see* Anderson, T.W. 145–171
Stepniak, C., Matrix loss in comparison of linear experiments 264 (1997) 341–348
Stoorvogel, A.A. and A. Saberi, The discrete algebraic riccati equations and linear matrix inequality 274 (1998) 317–365
Stott Parker, D., Schur complements obey Lambek's categorial grammar: Another view of Gaussian elimination and LU decomposition 278 (1998) 63
Strang, G., Every unit matrix is a LULU 265 (1997) 165–172
Straub, B., *see* Hillman, J.A. 267 (1997) 317–334
Strauss, V.A., On an estimate of the Eigenvalues for an infinite-dimentional matrix and its application to the problem of the completeness of an eigenvector system of a completely continuous operator 274 (1998) 61–76
Stuart, J.L. and J.R. Weaver, Fiedler matrices and their factorization 275–276 (1998) 579
Styan, G.P.H., *see* Watson, G.S. 264 (1997) 13–53
Sun, J., Sensitivity analysis of the discrete-time algebraic Riccati equation 275–276 (1998) 595
Szulc, T., *see* Johnson, C.R. 272 (1998) 169–179
Tam, T.-Y., Miranda and Thompson's trace inequality and a log convexity result 262 (1997) 307–325
Tam, T.-Y., On Lei, Miranda, and Thompson's result on singular values and diagonal elements 272 (1998) 91–101
Tartar, L. and A. Yakir, Similarity classes of affine maps 261 (1997) 155–165
Tasçi, D. and S. Kirkland, A sequence of upper bounds for the perron root of a nonnegative matrix 273 (1998) 23–28
Tasche, M., *see* Potts, D. 275–276 (1998) 433
Techene, J.-J., Les aspects fondamentaux de l'admissibilité en approximation quadratique d'applications linéaires 264 (1997) 389–419
Temme, D., *see* Langer, H. 261 (1997) 317–352
Ten Berge, J., M.F., *see* Bekker, P.A. 264 (1997) 255–263
Terrell, W.J., An input-output representation for implicit linear time-varying systems 271 (1998) 221–234
Thomassen, C., *see* Hjorth, P. 270 (1998) 255–273
Thompson, R.C., *see* Day, J. 280 (1998) 289
Tilli, P., Singular values and Eigenvalues of non-Hermitian block Toeplitz matrices 272 (1998) 59–89
Tilli, P., Locally Toeplitz sequences: spectral properties and applications 278 (1998) 91
Timmermann, G., *see* Lösche, R. 275–276 (1998) 381
Tomaž, K., On the structure of commutative matrices. II 261 (1997) 293–305
Tong, Y.L., The role of the covariance matrix in the least-squares estimation for a common mean 264 (1997) 313–323

Torregrosa, J.R., *see* Jordán, C. 275–276 (1998) 315
Travison, T., *see* Coleman, T. 271 (1998) 235–256
Trenkler, G., *see* Groß, J. 264 (1997) 495–503
Troschke, S.-O., *see* Groß, J. 264 (1997) 457–461
Tsatsomeros, M.J., *see* Li, B. 261 (1997) 221–235
Tsatsomeros, M.J., *see* Li, B. 271 (1998) 179–190
Tsatsomeros, M.J., *see* McDonald, J.J. 267 (1997) 359–373
Tusnády, G., *see* Bolla, M. 269 (1998) 331–365
Tyrtyshnikov, E.E. and N.L. Zamarashkin, Spectra of multilevel Toeplitz matrices: advanced theory via simple matrix relationships 270 (1998) 15–27
Tyrtyshnikov, E.E., A.Yu. Yeremin and N.L. Zamarashkin, Clusters Preconditioners Convergence: 263 (1997) 25–48
Tytyshnikov, E.E., *see* Goreinov, S.A. 261 (1997) 1–21
Urbano, A., *see* Jordán, C. 275–276 (1998) 315
Usui, M., *see* Kohno, T. 267 (1997) 113–123
Vaish, A.K., *see* Chaganty, N.R. 264 (1997) 421–437
Valcher, M.E., *see* Fornasini, E. 263 (1997) 275–310
van Dam, E.R., A Cauchy–Khinchin matrix inequality 280 (1998) 163
van den Driessche, P., *see* Fallat, S.M. 277 (1998) 187
van den Driessche, P., *see* Iwata, S. 268 (1998) 345–354
Van den Driessche, P., *see* Johnson, C.R. 262 (1997) 243–257
van den Driessche, P., *see* McDonald, J.J. 267 (1997) 359–373
van den Hof, J.M., *see* Picci, G. 277 (1998) 149
Van Der Genugten, B.B., Testing in the restricted linear model using canonical partitions 264 (1997) 349–353
van der Mee, C.M., *see* Bolshakov, Y. 261 (1997) 91–41
Van Schangen, F., *see* Gohberg, I. 269 (1998) 65–89
van Schuppen, J.H., *see* Picci, G. 277 (1998) 149
Van, B.M. and A. Bultheel, A lookahead algorithm for the solution of block Toeplitz systems 266 (1997) 291–335
Varga, A., Computation of coprime factorizations of rational matrices 271 (1998) 83–115
Varošanec, S., *see* Mond, B. 264 (1997) 117–126
Vavřín, Z., *see* Rost, K. 275–276 (1998) 537
Vegas, J.M., *see* Moro, J. 268 (1998) 289–321
Vemuri, B.C., *see* Lai, S.-H. 265 (1997) 203–229
Veselic, K., Estimating the operator exponential 280 (1998) 241
Veselic, K., *see* Mathias, R. 270 (1998) 315–321
Virtanen, A., *see* Merikoski, J.K. 264 (1997) 101–108
Visick, G., Majorizations of Hadamard Products of matrix powers 269 (1998) 233–240
Volaufová, J. and L.R. LaMotte, A note on invariant quadratics 264 (1997) 247–253
Volenec, V., *see* Alić, M. 264 (1997) 55–62
Voss, H., *see* Mackens, W. 275–276 (1998) 401
Wang, B.-Y. and B.-Y. Xi, Some inequalities for singular values of matrix products 264 (1997) 109–115
Wang, B.-Y. and F. Zhang, Chemnitz 1996 Conference report 275–276 (1998) 627
Wang, B.-Y. and F. Zhang, On normal matrices of zeros and ones with fixed row sum 275–276 (1998) 617
Wang, B.-Y., *see* Lei, T.-G. 279 (1998) 21
Wang, D., On a trace inequality 273 (1998) 1–8
Wang, L.-H. and Y.-X. Yuan, A stronger extension of the Hardy Inequality 270 (1998) 275–286
Wang, X., Comparison theorems for a class of parallel multisplitting AOR type iterative methods 269 (1998) 1–16
Wasin, S., *see* Horn, R.A. 270 (1998) 29–44
Watkins, D.S., *see* Brenner, P. 272 (1998) 17–32
Watkins, W., *see* Neubauer, M.G. 280 (1998) 109
Watson, G.S., G. Alpargu and G.P.H. Styan, Some comments on six inequalities associated with the inefficiency of ordinary least squares with once regressor 264 (1997) 13–53
Weaver, J.R., *see* Stuart, J.L. 275–276 (1998) 579
Weber, M.R., *see* Pühl, H. 277 (1998) 337
Wei, M. and A.R. De Pierro, Perturbation analysis of the canonical subspaces 279 (1998) 135

Wei, M., *see* De Pierro, A.R. 277 (1998) 299
Wei, M., Equivalent conditions for generalized inverses of products 266 (1997) 347–363
Wei, M., *see* Xu, G. 279 (1998) 93
Wei, M., Perturbation theory for the Eckart-Young-Mirsky theorem and the constrained total least squares problem 280 (1998) 267
Wei, Y., A characterization and representation of the generalized inverse $A^{(2)}_{T,S}$ and its applications 280 (1998) 87
Weinberger, H.F., *see* Schneider, H. 275–276 (1998) 563
Welfert, B., *see* Burrage, K. 279 (1998) 51
Wiedemann, G., *see* Reinschke, K.J. 266 (1997) 199–217
Wong, C.S., and H. Cheng, Vector majorization via nonnegative definite doubly stochastic matrices of maximum rank 261 (1997) 187–194
Wu, D., *see* Lumsdaine, A. 272 (1998) 103–130
Wu, Y. and Q. Li, On the matrix equation $A^l + A^{l+k} = J_n$ 277 (1998) 41
Wu, Z.-M. and W.-M. Liu, Criterion of high-codimensional bifurcations with several pairs of purely imaginary Eigenvalues 267 (1997) 53–63
Guo, W., Eigenvalues of nonnegative matrices 266 (1997) 261–270
Xi, B.-Y., *see* Wang , B.-Y. 264 (1997) 109–115
Xian, Z., *see* Cao, C. 278 (1998) 85
Xiang, S., Notes on completely positive matrices 271 (1998) 273–282
Xu, H., Two results about the matrix exponential 262 (1997) 99–109
Xu, S.-F., Lower bound estimation for the separation of two matrices 262 (1997) 67–82
Xu, G., M. Wei and D. Zheng, On solutions of matrix equation $AXB + CYD = F$ 279 (1998) 93

Yakir, A., *see* Tartar, L. 261 (1997) 155–165
Yang, Z., *see* Fujishige, S. 279 (1998) 75
Yap, V.B., *see* Goh, S.S. 269 (1998) 139–157
Yau, S.-T., *see* Cheng H.-W. 262 (1997) 131–163
Yeh, L., *see* Chien, M.-T. 274 (1998) 389–410
Yeh, Y.-T., *see* Chien, M.-T. 274 (1998) 389–410
Yeremin, A.Yu., *see* Tyrtyshnikov, E.E. 263 (1997) 25–48
Yuan, J.Y., Iterative refinement using splitting methods 273 (1998) 215–226
Yuan, Y.-X., *see* Wang, L.-H. 270 (1998) 275–286

Zaballa, I., *see* Loiseau, J.J. 278 (1998) 327
Zaballa, I., *see* Roca, A. 275–276 (1998) 509
Zagalak, P., *see* Loiseau, J.J. 278 (1998) 327
Zamarashkin N.L., *see* Tyrtyshnikov, E.E. 263 (1997) 25–48
Zamarashkin, N.L., *see* Goreinov, S.A. 261 (1997) 1–21
Zamarashkin, N.L., *see* Tyrtyshnikov, E.E. 270 (1998) 15–27
Zeilman, B., *see* Gower, J.C. 278 (1998) 1
Zeitlin, J., *see* Neubauer, M.G. 280 (1998) 109
Zellini, P., *see* Di Fiore, C. 268 (1998) 197–225
Zerz, E., *see* Hoffmann, J. 277 (1998) 63
Zha, H. and Z. Zhang, A sorted partial Jacobi method and its convergence analysis 270 (1998) 79–108
Zhang, F., *see* Wang, B.-Y. 275–276 (1998) 617
Zhang, M.-C., *see* Hong, S.-F. 268 (1998) 355–364
Zhang, X.-D., *see* Li, J.-S. 265 (1997) 93–100
Zhang, Y., *see* Leng, G. 278 (1998) 237
Zhang, Y.L., On the number of invariant polynomials of the product of matrices with prescribed similarity classes 277 (1998) 253
Zhang, Y., S. Pang, Z. Jiao and W. Zhao, Group partition and systems of orthogonal idempotents 278 (1998) 249
Zhang, Z. and M. Liu, An extension of the generalized Pascal matrix and its algebraic properties 271 (1998) 169–177
Zhang, Z., *see* Zha, H. 270 (1998) 79–108
Zheng, D., *see* Xu, G. 279 (1998) 93
Zhu L., *see* Liu, J. 265 (1997) 123–145
Ziermann, M., *see* Bolla, M. 269 (1998) 331–365
Zizler, P., Norms of sampling operators 277 (1998) 291
Zuidwijk, R., *see* Bart, H. 278 (1998) 195
Zylka, C., *see* Kästner, J. 278 (1998) 133 265–290